

FORM PTO-1390 (REV 10-95)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				UDL-101	
				U.S. APPLICATION NO. (If known, see 37 CFR 1.5)	
INTERNATIONAL APPLICATION NO. PCT/GB00/03105		INTERNATIONAL FILING DATE 11 August 2000		PRIORITY DATE CLAIMED 17 August 1999	
TITLE OF INVENTION Carrier Mount					
APPLICANT(S) FOR DO/EO/US HUGHES, Clyde					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<ol style="list-style-type: none"><li>1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.</li><li>2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.</li><li>3. <input checked="" type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).</li><li>4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.</li><li>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))<ol style="list-style-type: none"><li>a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau).</li><li>b. <input type="checkbox"/> has been transmitted by the International Bureau.</li><li>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</li></ol></li><li>6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)).</li><li>7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))<ol style="list-style-type: none"><li>a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau).</li><li>b. <input type="checkbox"/> have been transmitted by the International Bureau.</li><li>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</li><li>d. <input type="checkbox"/> have not been made and will not be made.</li></ol></li><li>8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</li><li>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</li><li>10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</li></ol>					
Items 11. to 16. below concern document(s) or information included:					
<ol style="list-style-type: none"><li>11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</li><li>12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</li><li>13. <input checked="" type="checkbox"/> A <b>FIRST</b> preliminary amendment. <input type="checkbox"/> A <b>SECOND</b> or <b>SUBSEQUENT</b> preliminary amendment.</li><li>14. <input type="checkbox"/> A substitute specification.</li><li>15. <input type="checkbox"/> A change of power of attorney and/or address letter.</li><li>16. <input type="checkbox"/> Other items or information:</li></ol>					

21. ☒ The following fees are submitted:**BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)):**Neither international preliminary examination fee (37 CFR 1.482)  
nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO  
and International Search Report not prepared by the EPO or JPO ..... \$ 1040International preliminary examination fee (37 CFR 1.482) not paid to  
USPTO but International Search Report prepared by the EPO or JPO ..... \$ 890International preliminary examination fee (37 CFR 1.482) not paid to USPTO  
but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... \$ 740International preliminary examination fee (37 CFR 1.482) paid to USPTO  
but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... \$ 710International preliminary examination fee (37 CFR 1.482) paid to USPTO  
and all claims satisfied provisions of PCT Article 33(1)-(4) ..... \$100.00**ENTER APPROPRIATE BASIC FEE AMOUNT =****CALCULATIONS PTO USE ONLY**

\$ 890

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☐ 30  
months from the earliest claimed priority date (37 CFR 1.492(e)).

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$
Total claims	18 - 20 =	0	x \$18.00	\$
Independent claims	2 - 3 =	0	x \$84.00	\$
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$270.00	\$
<b>TOTAL OF ABOVE CALCULATIONS =</b>				\$ 890
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$ 445
<b>SUBTOTAL =</b>				\$
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$
<b>TOTAL NATIONAL FEE =</b>				\$
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$
<b>TOTAL FEES ENCLOSED =</b>				\$ 445
				Amount to be refunded: \$
				charged: \$

a. ☒ A check in the amount of \$ 445.00 to cover the above fees is enclosed.b. ☐ Please charge my Deposit Account No. \_\_\_\_\_ in the amount of \$ \_\_\_\_\_ to cover the above fees.  
A duplicate copy of this sheet is enclosed.c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 07-1732. A duplicate copy of this sheet is enclosed.d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.**NOTE:** Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Gordon & Jacobson, P.C.  
65 Woods End Road  
Stamford, CT 06905

SIGNATURE

David S. Jacobson

NAME

39,235

REGISTRATION NUMBER

10/049897

JC10 Rec'd PCT/PTO 12 FEB 2002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Clyde Hughes

INT'L APPL'N NO.: PCT/GB00/03105

GROUP ART UNIT:

INT'L FILING DATE: 11 August 2000

EXAMINER:

FOR: Carrier Mount

ATT'Y DOCKET NO.: UDL-101


Honorable Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

Sir:

CERTIFICATE OF MAILING BY EXPRESS MAIL

"Express Mail" Mailing Number EV 044 829 652 US  
Date of Deposit: February 12, 2002

I hereby certify that the attached 35 USC 371 Request for Commencement of US National Stage (Form PTO-1390), Petition to Revive, patent application, filing fee, Declaration and Power of Attorney and International Search Report for the application identified above, are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above, and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

  
\_\_\_\_\_  
David S. Jacobson  
Reg. #39,235

Gordon & Jacobson, P.C.  
65 Woods End Road  
Stamford, CT 06905  
(203) 329-1160

202050 45854001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Clyde Hughes

SERIAL NO.:  
INT'L NO.: PCT/GB00/03105

GROUP ART UNIT:

FILED: Simultaneously  
herewith

EXAMINER:

FOR: Carrier Mount

ATT'Y DOCKET: UDL-101

Honorable Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

Sir:

Preliminary Amendment

Prior to examining the application filed herewith kindly  
amend the application as follows.

In the Abstract of the Disclosure:

Please append to the application the Abstract of the  
Disclosure attached hereto.

In the Specification:

Page 1, after the Title, insert the following one-line paragraph  
centered on the page:

BACKGROUND OF THE INVENTION

204050-4664001

Page 1, after the above addition, insert the following one-line paragraph:

1. Field of the Invention

Page 1, insert the following one-line paragraph before line 7:

2. State of the Art

Page 1, after line 16, insert the following one-line paragraph centered on the page:

#### SUMMARY OF THE INVENTION

Page 4, rewrite the paragraph beginning at line 30, as follows:

The invention will now be further described in a specific embodiment, by way of example only, and with reference to the accompanying drawings.

Page 5, after the above paragraph replacement (i.e.; at page 5, line 2), insert the following one-line paragraph centered on the page:

#### BRIEF DESCRIPTION OF THE DRAWINGS

Page 5, before line 9, insert the following one-line paragraph centered on the page:

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the Claims:

Please rewrite claims 1-18, as follows:

1. (rewritten) A carrier mount for a personal electronic device, which carrier mount comprises:
  - i) a pouch shaped and dimensioned to hold the device, and having a opening through which the device may be introduced into the interior of the pouch; and
  - ii) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.
2. (rewritten) A carrier mount according to claim 1, wherein the pouch comprises a flexible material.
3. (rewritten) A carrier mount according to claim 1, wherein at least a portion of the exterior of the pouch comprises a waterproof or water resistant material.
4. (rewritten) A carrier mount according to claim 1, wherein the pouch has an impact resistant panel portion.
5. (rewritten) A carrier mount according to claim 1, wherein the pouch comprises opposed major faces and an opening in the region of the upper portion of the major faces permitting the electronic device to be received between the opposed major faces.

6. (rewritten) A carrier mount according to claim 1, including closure means for partially closing the opening to inhibit removal of the electronic device but defining a smaller opening permitting an electrical cable connected to the device to extend into the interior of the pouch.

7. (rewritten) A carrier mount according to claim 1, including closure means for at least partially closing the pouch opening wherein the closure means draws together the opening defining edges of the pouch.

8. (rewritten) A carrier mount according to claim 1, wherein means is provided for permitting an electrical connection lead to extend into the interior of the pouch when the mouth is substantially closed.

9. (rewritten) A carrier mount according to claim 7, wherein closure means for closing the opening through which the device is introduced comprises a zipper closure.

10. (rewritten) A carrier mount according to claim 1, wherein the collar portion of the securing means is positioned adjacent a wall of the pouch.

11. (rewritten) A carrier mount according to claim 1, wherein the collar of the securing means is adjustable for ensuring a tight fit of the collar about frame members of differing dimensions.

12. (rewritten) A carrier mount according to claim 11, wherein the collar is tightenable about the frame member, and also subsequently loosenable to permit removal of the securing means from the frame member.

13. (rewritten) A carrier mount according to claim 1, wherein the securing means comprises a rigid or spring tightenable collar bracket.

14. (rewritten) A carrier mount according to claim 1, wherein the securing means collar comprises a flexible element arranged to pass over the tubular frame member.

15. (rewritten) A carrier mount according to claim 1, wherein the securing means is a quick release fastening arrangement.

16. (rewritten) A carrier mount according to claim 1, wherein the pouch is configured to have opposed side panels defining major faces and a relatively shallow depth.



17. (rewritten) A carrier mount according to claim 1, wherein the aperture for receiving the device is provided along the uppermost edge of the pouch, the uppermost edge of the pouch being substantially arcuate and adapted to receive a portable compact disc player.

18. (rewritten) An arrangement comprising, in combination:

i) exercise apparatus; and

ii) a carrier mount for a personal electronic device, which carrier mount comprises,

a) a pouch shaped and dimensioned to hold the electronic device, and having an opening through which the electronic device may be introduced into the interior of the pouch, and

b) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.


#### REMARKS

Headings and subheadings have been added in accord with standard U.S. practice. An Abstract of the Disclosure has been provided on a separate sheet, as required by U.S. practice. Claims have been amended to remove multiple dependencies and otherwise place the claims in acceptable form for allowance.

Marked-up paragraphs and claims are attached hereto.

In light of all of the above, it is submitted that the claims are in order for allowance, and prompt allowance is earnestly requested. Should any issues remain outstanding, the Examiner is invited to call the undersigned attorney of record so that the case may proceed expeditiously to allowance.

Respectfully submitted,



David S. Jacobson  
Reg. #39,235  
Attorney for Applicant(s)

65 Woods End Road  
Stamford, CT 06905  
(203) 329-1160

February 12, 2002

MARKED-UP PARAGRAPHS AND CLAIMS

In the Specification:

Page 4, rewrite the paragraph at beginning at line 30, as follows:

The invention will now be further described in a specific embodiment, by way of example only, and with reference to the accompanying drawings[, in which:]\_

In the Claims:

Please rewrite claims 1-18, as follows:

1. (rewritten) [a] A carrier mount for a personal electronic device, which carrier mount comprises:

i) a pouch shaped and dimensioned to hold the device, and having a opening through which the device may be introduced into the interior of the pouch; and[,]

ii) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.

2. (rewritten) A carrier mount according to claim 1, wherein the pouch comprises a flexible [()]conformable[)] material.

3. (rewritten) A carrier mount according to claim 1 [or claim 2], wherein at least a portion of the exterior of the pouch comprises a waterproof or water resistant material.

4. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the pouch has an impact resistant panel portion [such as a quilted or padded panel portion].

5. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the pouch comprises opposed major faces and an opening in the region of the upper portion of the major faces permitting the electronic device to be received between the opposed major faces.

6. (rewritten) A carrier mount according to [any preceding] claim 1, including closure means for partially closing the opening to inhibit removal of the electronic device but [define] defining a smaller opening permitting an electrical cable connected to the device to extend into the interior of the pouch.

7. (rewritten) A carrier mount according to [any preceding] claim 1, including closure means for at least partially closing the pouch opening wherein the closure means draws together the opening defining edges of the pouch.

8. (rewritten) A carrier mount according to [any preceding] claim 1, wherein means is provided for permitting an electrical connection lead [(for headphones, earplugs or the like)] to extend into the interior of the pouch when the mouth is substantially closed.

9. (rewritten) A carrier mount according to [any preceding] claim 7, wherein closure means for closing the opening through which the device is introduced comprises a zipper closure.

10. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the collar portion of the securing means is positioned adjacent a wall of the pouch.

11. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the collar of the securing means is adjustable for ensuring a tight fit of the collar about [tubular] frame members of differing dimensions.

12. (rewritten) A carrier mount according to claim 11, wherein the collar is tightenable about the [tubular] frame [element] member, and also subsequently loosenable to permit removal of the securing means from the frame member.

13. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the securing means comprises a rigid or spring tightenable collar bracket.

14. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the securing means collar comprises a flexible element [(such as a length of webbing or the like)] arranged to pass over the tubular frame [element] member.

15. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the securing means is a quick release fastening arrangement.

16. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the pouch is configured to have opposed side panels defining major faces and a relatively shallow depth [(width)].

17. (rewritten) A carrier mount according to [any preceding] claim 1, wherein the aperture for receiving the device is provided along the uppermost edge of the pouch, [The] the uppermost edge of the pouch being substantially arcuate[, particularly for receiving a] and adapted to receive a portable compact disc player.

18. (rewritten) An arrangement comprising, in combination:

i) exercise apparatus; and[,]

ii) a carrier mount for a personal electronic device, which carrier mount comprises[:]

a) a pouch shaped and dimensioned to hold the electronic device, and having an opening through which the electronic device may be introduced into the interior of the pouch[;] and

b) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.

ABSTRACT OF THE DISCLOSURE

A carrier mount for a personal electronic device has a pouch to hold the device, and an opening through which the device may be introduced into the interior of the pouch. The pouch is securable to a frame of an exercise apparatus with a releasable securing collar which is preferably adjustable to secure to frames of differing dimensions. The pouch is preferably padded and water resistant.

Carrier Mount

The present invention relates to a carrier mount and particularly to a carrier mount for personal effects such as personal electronic apparatus including, but not limited to, mobile phones, personal stereo players and other audio apparatus to be used when exercising on exercise apparatus.

Personal disc and tape players are known which are provided with means of a attachment to the person of a user. Likewise, mobile phone carriers are well known. Such arrangements are often used during exercise. Such players and carriers are typically clipped to a users belt or waistband.

An improved arrangement has now been devised.

According to a first aspect, the invention provides a carrier mount for a personal electronic device, which carrier mount comprises:

- i) a pouch shaped and dimensioned to hold the device, and having a opening through which the device may be introduced into the interior of the pouch; and,
- ii) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.



-2-

The invention enables the device (e.g. mobile phone, audio player, etc) to be securely attached to the frame of an exercise machine (such as a jogging machine or a cycle frame) rather than attached to the person of the user. This enables the controls of the device to be accessed more conveniently during exercise (and, particularly for disc players, track jumping during vigorous exercise to be reduced or prevented). The carrier mount also exhibits further advantageous features as described herein.

The pouch is preferably flexible, and/or of water resistant or waterproof material. Desirably the pouch is padded or quilted to minimise the risk of impact or shock damage to the electronic device.

Closure means is preferably provided for substantially closing the mouth of the pouch when the device is received in the interior of the pouch. The closure means may comprise zipper arrangement or, alternatively any other means of holding the mouth of the pouch in a closed condition.

The pouch is preferably provided with a further pocket either internally or, more preferably externally of the pouch. The pocket is beneficially sealable, typically by means of a zipper arrangement or the like.

Means is preferably provided for permitting an electrical connection lead (for headphones, earplugs or the like) to extend into the interior of the pouch when the mouth is substantially closed. In one embodiment this may be

-3-

achieved by the closure means for closing the mouth being configured to define or permit a relatively small aperture or gap permitting the connection lead to extend therethrough. In an alternative embodiment an aperture preformed in the pouch may perform this function.

The collar portion of the securing means is preferably arranged to be positioned adjacent a wall of the pouch. Means is preferably provided for ensuring a tight fit of the collar about the tubular frame element of the exercise apparatus. The collar is preferably therefore tightenable about the tubular frame element, and also preferably subsequently loosenable to permit removal of the securing means from the tubular frame.

In one embodiment, the securing means may comprise a rigid or spring tightenable collar bracket (which may be a split collar), desirably having means for selectively altering the effective collar diameter to permit tightening and/or loosening.

In an alternative embodiment, the securing means may comprise a flexible element (such as a length of webbing or the like) arranged to pass over the tubular frame element. Typically in such an embodiment the flexible element length will be connected proximate a first end to the pouch and releasably connected proximate a second end to the pouch. The releasable connection will beneficially be by means of a quick release fastening arrangement, such as a popper, stud or VELCRO type connection.

- 4 -

The pouch is preferably configured to have opposed side panels defining major faces and a relatively shallow depth (width). The precise configuration will depend upon the shape of the device to be retained in the carrier mount.

5 The mouth is preferably provided along the uppermost edge of the pouch. The uppermost edge of the pouch is preferably substantially arcuate, particularly for receiving a disc player.

10 According to a further aspect, the invention provides, in combination:

- 20 202050 15 160964001
- i) exercise apparatus; and,
  - ii) a carrier mount for a personal electronic device, which carrier mount comprises:
    - a) a pouch shaped and dimensioned to hold the electronic device, and having an opening through which the electronic device may be introduced into the interior of the pouch; and,
    - 25 b) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.

30 The invention will now be further described in a specific embodiment, by way of example only, and with reference to

-5-

the accompanying drawings, in which:

Figure 1 is a schematic side view of a carrier mount according to the invention; and,

Figure 2 is a schematic end elevation of the carrier mount of figure 1.

Referring to the drawings there is shown a carrier mount 1 for a personal CD player (not shown). The carrier mount 1 comprises a relatively compliant pouch 2 having opposed major panels 3,4 of padded material having respective plastics (waterproof) outer skins. The uppermost edge of the pouch 2 is arcuate and provided with an elongate mouth 10 (permitting access to the interior of the pouch 2. The mouth 10 is provided with a zip fastener closure arrangement 5. (As an alternative a VELCRO type closure could be provided).

Rear panel 4 of the pouch 2 is has secured (typically by stitching) a securing bracket 6 including a collar 7 expandable and contractible by means of a screw actuator 8. A zipper closure pocket 9 is provided on front panel 3 of the pouch.

In use a personal CD player is received in the interior of the pouch 2 and the zipper 5 closed to close the mouth 10 of the pouch. A small gap is left unclosed by the zipper 5 permitting the earpiece electrical connection lead to pass into the pouch and connect to the CD player. The bracket 6 is opened by releasing screw actuator 9, thereby

-6-

permitting the split collar 7 to be located around a tubular frame member of a selected exercise apparatus. The collar is then contracted by manual manipulation of actuator 7 to contract and clamp securely on the tubular frame element of the exercise apparatus. Other collar arrangements are envisaged (such as a flexible web material length passing against the frame member), however the secure clamping of the expandable/contractible collar is preferred.

The carrier mount of the invention enables a user to securely mount audio apparatus to exercise apparatus, whilst enabling unfettered use as normal. The waterproof (or at least water resistant) skin of the pouch is particularly useful for gym situations in which perspiration is particularly prevalent. The padded or quilted nature of the pouch also guards against shock or impact damage to the audio apparatus.

It will be appreciated that the invention has been described in an exemplary embodiment for use with an audio device. It will however be readily apparent that the invention encompasses use with other devices, particularly other personal electronic devices such as mobile phones and the like.

-7-

## Claims:

1. a carrier mount for a personal electronic device,  
which carrier mount comprises:
  - i) a pouch shaped and dimensioned to hold the device, and having a opening through which the device may be introduced into the interior of the pouch; and,
  - ii) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.
2. A carrier mount according to claim 1, wherein the pouch comprises a flexible (conformable) material.
3. A carrier mount according to claim 1 or claim 2, wherein at least a portion of the exterior of the pouch comprises a waterproof or water resistant material.
4. A carrier mount according to any preceding claim, wherein the pouch has an impact resistant panel portion such as a quilted or padded panel portion.
5. A carrier mount according to any preceding claim, wherein the pouch comprises opposed major faces and an opening in the region of the upper portion of the major faces permitting the electronic device to be

-8-

received between the opposed major faces.

5 6. A carrier mount according to any preceding claim including closure means for partially closing the opening to inhibit removal of the electronic device but define a smaller opening permitting an electrical cable connected to the device to extend into the interior of the pouch.

10 7. A carrier mount according to any preceding claim, including closure means for at least partially closing the pouch opening wherein the closure means draws together the opening defining edges of the pouch.

15 8. A carrier mount according to any preceding claim, wherein means is provided for permitting an electrical connection lead (for headphones, earplugs or the like) to extend into the interior of the pouch when the mouth is substantially closed.

20 9. A carrier mount according to any preceding claim, wherein closure means for closing the opening through which the device is introduced comprises a zipper closure.

25 10. A carrier mount according to any preceding claim, wherein the collar portion of the securing means is positioned adjacent a wall of the pouch.

30 11. A carrier mount according to any preceding claim, wherein the collar of the securing means is adjustable

-9-

for ensuring a tight fit of the collar about tubular frame members of differing dimensions.

5 12. A carrier mount according to claim 11, wherein the collar is tightenable about the tubular frame element, and also subsequently loosenable to permit removal of the securing means from the frame.

10 13. A carrier mount according to any preceding claim, wherein the securing means comprises a rigid or spring tightenable collar bracket.

15 14. A carrier mount according to any preceding claim, wherein the securing means collar comprises a flexible element (such as a length of webbing or the like) arranged to pass over the tubular frame element.

20 15. A carrier mount according to any preceding claim, wherein the securing means is a quick release fastening arrangement.

25 16. A carrier mount according to any preceding claim, wherein the pouch is configured to have opposed side panels defining major faces and a relatively shallow depth (width).

30 17. A carrier mount according to any preceding claim, wherein the aperture for receiving the device is provided along the uppermost edge of the pouch, The uppermost edge of the pouch being substantially arcuate, particularly for receiving a disc player.



-10-

18. An arrangement comprising, in combination:

- i) exercise apparatus; and,
- ii) a carrier mount for a personal electronic device, which carrier mount comprises:
  - c) a pouch shaped and dimensioned to hold the electronic device, and having an opening through which the electronic device may be introduced into the interior of the pouch; and,
  - d) securing means for releasably securing the pouch to a frame member comprising exercise apparatus, the securing means including a collar arranged to secure around the frame member.

5

10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
22 February 2001 (22.02.2001)


PCT

(10) International Publication Number  
**WO 01/12010 A1**

- (51) International Patent Classification<sup>7</sup>: **A45C 11/00** (74) Agent: DAVIES, Gregory, Mark; Urquhart-Dykes & Lord, Alexandra House, Alexandra Road, Swansea SA1 5ED (GB).
- (21) International Application Number: PCT/GB00/03105
- (22) International Filing Date: 11 August 2000 (11.08.2000) (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
9919344.3 17 August 1999 (17.08.1999) GB  
0004250.7 24 February 2000 (24.02.2000) GB
- (71) Applicant and  
(72) Inventor: HUGHES, Clyde [GB/GB]; Tal-y-Wendda Farm, Crymlyn Road, Llansamlet, Swansea SA7 9YD (GB).
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: CARRIER MOUNT



(57) Abstract: A carrier mount (1) for a personal electronic device has a pouch (2) to hold the device, and an opening (10) through which the device may be introduced into the interior of the pouch. The pouch is securable to a frame of exercise apparatus by means of a releasable securing collar (7) which is typically adjustable to secure to frames of differing dimensions. The pouch is typically of padded water resistant material.

WO 01/12010 A1

FIGURE 1





FIGURE 2



**DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY**

As below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name, and

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed for and for which a patent is sought on the invention entitled

**CARRIER MOUNT**, the specification of which

☐ is attached hereto.

☒ was filed on:

as application Serial Number: **10/049,897**

and was amended on (if applicable):

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I verify that I am qualified as an independent inventor under Title 37, Code of Federal Regulations, Section 1.9(c), and my obligation to assign rights to this invention, if any, is to a qualified small business concern under Title 37, Code of Federal Regulations, Section 1.9(d).

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Serial No.	Country	Filing Date (D/M/YR)	Priority Claimed?
1. PCT/GB00/03105	PCT	17/08/00	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
2.			<input type="checkbox"/> YES <input type="checkbox"/> NO

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Ser. No.

Filing Date

Status

(patented, pending, abandoned)

- 1.
- 2.
- 3.

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

(3)

David P. Gordon (29,996)

David S. Jacobson (39,235)

Thomas A. Gallagher (31,358)

Address all telephone calls to: David P. Gordon at (203) 329-1160

Address all correspondence to: David P. Gordon, Esq.

65 Woods End Road

Stamford, Connecticut 06905

U.S.A.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SOLE OR FIRST INVENTOR

Signature: \_\_\_\_\_

Date 23 FEB 2002

Full Name: Clyde Hughes

Residence: Tal-y-Wendda Farm, Crymlyn Road, Llansamlet, Swansea SA7 9YD,  
Great Britain

GB

Citizenship: GB

P.O. Address: Same as address